

Visit us on tomspipes.com

PURE FLOW OF LIFE



TOMS PIPES PVT LTD.

Since 1985

PVC Water Pipes | Wiring Pipes | Fittings | Water Tanks | Garden Hoses | Suction Hoses | HDPE Pipes



ISO 9001 : 2015



CONDUIT PIPE



TOMS PIPES PVT LTD.

PVC Water Pipes | Wiring Pipes | Fittings | Water Tanks | Garden Hoses | Suction Hoses | HDPE Pipes

Visit us on tomspipes.com



✉ info@tomspipes.in ☎ 9446066883

PVC CONDUIT PIPES & FITTINGS

COLOUR: BLACK / IVORY / GREY



CONDUIT ISI PIPE WITH COUPLING

Colour : Black / Grey / Ivory

SR No	PRODUCT CODE AND SIZE	STANDARD PACK
01	20mm ISI Heavy PVC Pipes	50
02	25mm ISI Heavy PVC Pipes	50
03	32mm ISI Heavy PVC Pipes	25
04	20mm ISI Medium PVC Pipes	100
05	25mm ISI Medium PVC Pipes	50
06	32mm ISI Medium PVC Pipes	25
07	20mm ISI Light PVC Pipes	100
08	25mm ISI Light PVC Pipes	50
09	32mm ISI Light PVC Pipes	25



PVC ISI JUNCTION BOX

Colour : Black / Ivory

SR No	PRODUCT CODE AND SIZE	STANDARD PACK
01	20mm PVC Circular Box 1 Way	50
02	25mm PVC Circular Box 1 Way	25
03	20mm PVC Circular Box 2 Way	50
04	25mm PVC Circular Box 2 Way	25
05	20mm PVC Circular Box 3 Way	50
06	25mm PVC Circular Box 3 Way	25
07	20mm PVC Circular Box 4 Way	50
08	25mm PVC Circular Box 4 Way	25



CONDUIT ISI BEND

Colour : Black / Ivory

SR No	PRODUCT CODE AND SIZE	STANDARD PACK
01	Bend 20mm	250
02	Bend 25mm	100



ELECTRICAL FITTINGS PVC (COUPLING)

Colour : Black / Ivory

SR No	PRODUCT CODE AND SIZE	STANDARD PACK
01	Coupling 32mm(Special Black)	
02	20mm Coupling	250
03	25mm Coupling	100
04	20mm Elbow	250
05	25mm Elbow	100
06	20mm Tee	250
07	25mm Tee	100



OTHER ACCESSORIES

Colour : Black / Ivory

SR No	PRODUCT CODE AND SIZE	STANDARD PACK
01	Deep PVC Box 20mm 1 Way	50
02	Deep PVC Box 25mm 1 Way	25
03	Deep PVC Box 20mm 2 Way	50
04	Deep PVC Box 25mm 2 Way	25
05	Deep PVC Box 20mm 3 Way	50
06	Deep PVC Box 25mm 3 Way	25
07	Deep PVC Box 20mm 4 Way	50
08	Deep PVC Box 25mm 4 Way	25
09	20mm PVC Box (H - Type)	
10	20mm PVC Junction Box (U - Type)	
11	20mm PVC Junction Box (Y - Type)	
12	PVC Square Box	

TESTS UNDERGONE
• Marking • Dimensions • Wall Thickness • Bending in Room Temperature • Bending at -5 degree Celsius • Impact Test • Compression Test • Collapse Test • Electric Strength • Insulation Resistance • Resistance to Heat • Resistance to Burn

TOMS PVC ELECTRIC CONDUITS AS PER IS: 9537 - PART 3				
Nominal outside diameter	Tolerance on outside diameter	Minimum inside diameter		
		Light	Medium	Heavy
20	-0.3	17.40	16.90	15.80
25	-0.4	22.10	21.40	20.60
32	-0.4	28.60	27.80	26.60
40	-0.4	35.80	35.40	34.40
50	-0.5	45.10	44.30	43.20
63	-0.6	57.00		

SPECIAL FEATURES

- Non-conductor of electricity.
- High mechanical strength for covered and open applications.
- Non-destructive in nature and resistant to chemical and galvanic erosion.
- Doesn't bolster ignition and are self-smothering.
- Lightweight and easy to handle, introduce and transport.
- Smooth internal surface for simple wiring; adaptability for long span twisting.
- Flame retardant and low smoke in nature.

MADE WITH
VIRGIN PVC



Corporate Clients

Kerala State Transport Projects • Kerala Water Authority • Haritha Homes, Kottayam • PTC Builders, Thiruvananthapuram • Shantimadom Builders, Thrissur • WEXCO Homes, Kottayam • Summersand Resort, Vagamon • Orion Holiday Resorts, Vagamon • Ayur County Resort, Munnar • MIR Realtors, Thiruvananthapuram • Condoor Builders, Thiruvananthapuram • Bhavana Builders, Thrissur • BVG Estate Builders and Hotel Pvt Ltd, Cochin • Socio-Economic Unit Foundation • Jewel Homes, Kochi • ULCCS Infrastructure (P) Ltd, Kozhikode • Lulu Hypermarket, Ernakulum • Salim Associates • Vedic Gardens, Kottayam • Bhavanam Builders • KNR Construction Ltd. Andhra Pradesh • RAIDCO, Kannur



TOMS PIPES PVT LTD.

Visit us on tomspipes.com

✉ info@tomspipes.in ☎ 9446066883



ISO 9001 : 2015 

PREMIUM QUALITY
LEAD Free u-PVC pipes
IS 4985:2021

UPVC PIPES & FITTINGS



TOMS PIPES PVT LTD.

PVC Water Pipes | Wiring Pipes | Fittings | Water Tanks | Garden Hoses | Suction Hoses | HDPE Pipes

Visit us on tomspipes.com



✉ info@tomspipes.in ☎ 9446066883

PVC Pasted Pipes

SALIENT FEATURES

- ▶ Manufactured from high quality PVC compound.
- ▶ Exceptionally durable and highly resilient.
- ▶ Smooth inner wall for free flow.
- ▶ Assured quality with proper testing
- ▶ Specification: IS 4985:2021.
- ▶ Wide range in size.

TECHNICAL SPECIFICATION	
PVC Pipes (ISI & Non ISI)	
Sizes in mm	20mm, 25mm, 32mm, 40mm, 50mm, 63mm, 75mm 90mm, 110mm, 140mm, 160mm, 180mm, 200mm
Sizes in inches	1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2" 3", 4", 5", 6", 7", 8"
Pressure Ratings	2.5Kg/cm², 4Kg/cm², 6Kg/cm², 8Kg/cm², 10Kg/cm², 12.5Kg/cm².

* Non ISI Pipes available in all sizes

Moulded Fittings - Plumbing

SALIENT FEATURES

- ▶ Manufactured from high quality PVC raw material.
- ▶ High flow characteristics.
- ▶ Moulded with precision to match the pipes.
- ▶ Advanced technology in manufacturing.


TECHNICAL SPECIFICATION										
Moulded Fittings - Plumbing										
MTA	Bend	Tee	90° Elbow	45° Elbow	Door Elbow	Door Tee	PVC-Brass RFTA	Brass Elbow	Vent Cowl	
FTA	Coupler	End Cap	Short Bend	P Trap	Reducer Bush		Single Way Trap	Multy Trap	Brass Tee	Y
Sizes	20mm, 25mm, 32mm, 40mm, 50mm, 63mm, 75mm, 90mm, 110mm									



ISO 9001 : 2015 

HDPE
PIPING SYSTEM
IS 4984:2016

HDPE
PIPES



TOMS PIPES PVT LTD.

PVC Water Pipes | Wiring Pipes | Fittings | Water Tanks | Garden Hoses | Suction Hoses | HDPE Pipes

Visit us on tomspipes.com



✉ info@tomspipes.in ☎ 9446066883

HDPE Pipes

SALIENT FEATURES

- ▶ Leak Free
- ▶ Corrosion, Abrasion, And Chemical Resistant
- ▶ Excellent Flow Characteristics
- ▶ Lightweight And Flexible
- ▶ Ductility And Toughness
- ▶ Manufactured Under IS 4984 standard

Available In Diameters From 20mm to 180mm

TECHNICAL SPECIFICATION

HDPE Pipes PE 100

SDR26	[PN5- 50 mm ,63 mm,75 mm,90 mm,110 mm, 125 mm, 140 mm, 160 mm & 180 mm]
SDR21	[PN6-40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm & 180 mm]
SDR17	[PN8- 32 mm, 40 mm, 50mm, 63 mm, 75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm & 180 mm]
SDR13.6	[PN10- 25 mm, 32 mm, 40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm,125 mm, 140 mm, 160 mm & 180 mm]
SDR11	[PN12.5- 20 mm, 25 mm, 32 mm, 40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 125 mm , 140 mm, 160 mm & 180 mm]
SDR9	[PN16- 20 mm, 25 mm, 32 mm, 40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 125 mm , 140 mm, 160 mm & 180 mm]
SDR7.4	[PN20- 20 mm, 25 mm, 32 mm, 40 mm, 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 125 mm , 140 mm, 160 mm & 180 mm]

TECHNICAL SPECIFICATION

HDPE Pipes PE 80

SDR 41	[PN 2.5- 75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, and 180 mm]
SDR 33	[PN 3.2- 75 mm, 90 mm, 110 mm, 125 mm, 140 mm,160 mm and 180 mm]
SDR 26	[PN 4- 50 mm, 63 mm, 75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, and 180 mm]
SDR 9	[PN 12.5- 20 mm ,25 mm, 32 mm ,40 mm ,50 mm, 63 mm,75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, and 180 mm]
SDR 7.4	[PN 16- 20 mm ,25 mm, 32 mm ,40 mm ,50 mm, 63 mm,75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, and 180 mm]
SDR 6	[PN 20- 20 mm ,25 mm, 32 mm ,40 mm ,50 mm, 63 mm,75 mm, 90 mm, 110 mm, 125 mm, 140 mm, 160 mm, and 180 mm]

1/2" to 2" CPVC PIPES
SDR 11& 13.5 as per IS 15778

ISO 9001:2015 

1/2" to 2" CPVC FITTINGS
SDR 11 are as per
ASTM D 2846

CPVC PIPES & FITTINGS



TOMS PIPES PVT LTD.

PVC Water Pipes | Wiring Pipes | Fittings | Water Tanks | Garden Hoses | Suction Hoses | HDPE Pipes

Visit us on tomspipes.com



✉ info@tomspipes.in ☎ 9446066883

ISO 9001 : 2015 



PREMIUM WATER TANKS

With Silver Protection

TRIPLER LAYER WATER TANKS



Capacity Range from
300 ltrs to 5000 ltrs



TOMS PIPES PVT LTD.

PVC Water Pipes | Wiring Pipes | Fittings | Water Tanks | Garden Hoses | Suction Hoses | HDPE Pipes

Visit us on tomspipes.com



✉ info@tomspipes.in ☎ 9446066883



ISO 9001 : 2015 



SUCTION/GARDEN HOSES

Hoses

SALIENT FEATURES

- ▶ Highly flexible and a smooth bending.
- ▶ Long functional life.
- ▶ Resistant to extreme weather conditions and toxic substance.
- ▶ Suitable for irrigation purpose.

TECHNICAL SPECIFICATION

Hoses

Catagory	Suction Hose	Garden Hose
Sizes	1/2", 3/4", 1", 1 1/2", 2"	1/2", 3/4", 1"



Corporate Clients

Kerala State Transport Projects • Kerala Water Authority • Haritha Homes, Kottayam • PTC Builders, Thiruvananthapuram • Shantimadam Builders, Thrissur • WEXCO Homes, Kottayam • Summersand Resort, Vagamon • Orion Holiday Resorts, Vagamon • Ayur County Resort, Munnar • MIR Realtors, Thiruvananthapuram • Condoor Builders, Thiruvananthapuram • Bhavana Builders, Thrissur • BVG Estate Builders and Hotel Pvt Ltd, Cochin • Socio-Economic Unit Foundation • Jewel Homes, Kochi • ULCCS Infrastructure (P) Ltd, Kozhikode • Lulu Hypermarket, Ernakulum • Salim Associates • Vedic Gardens, Kottayam • Bhavanam Builders • KNR Construction Ltd. Andra Pradesh • RAIDCO, Kannur



TOMS PIPES PVT LTD.

Visit us on tomspipes.com

✉ info@tomspipes.in ☎ 9446066883

